

NOTES.

NON-MARINE MOLLUSCA FROM THE OLD BED OF THE THAMES AT BARN ELMS WITH *MARGARITANA (PSEUDUNIO) AURICULARIUS* (SPENG.). (*Read 13th June, 1913.*)—We received from Mr. Lawrence some small masses of iron-cemented grit containing shells that had come from the same deposit as the race-covered *Unio auricularius*, Speng., and *U. tumidus*, Retz. From these masses we extracted the following species:—

<i>Ancylus fluriatilis</i> , Müll.	<i>Valvata cristata</i> , Müll.
<i>Limnaea pereger</i> (Müll.).	<i>Theodoxus fluviatilis</i> (Linn.).
<i>Planorbis albus</i> , Müll.	<i>Sphaerium corneum</i> (Linn.).
<i>P. crista</i> (Linn.).	<i>Pisidium Henslowanum</i> (Shepp.).
<i>P. contortus</i> (Linn.).	<i>P. supinum</i> , A. Schm.
<i>Bithynia tentaculata</i> (Linn.).	<i>P. nitidum</i> , Jenyns.
<i>B. Leachii</i> (Shepp.).	<i>P. pusillum</i> (Gmel.), Jenyns.
<i>Valvata piscinalis</i> , Müll.	

The *Sphaerium corneum* resembles in form the variety *mœnanum* met with at Crayford and Erith, so that this form must have lingered on, or the Barn Elms deposit is older than one would have been led to believe.

A. S. KENNARD & B. B. WOODWARD.